Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  011506		(X2) MULTIPLE CONSTRUCTION  A. BUILDING  B. WING		(X3) DATE SURVEY COMPLETED
						C <b>06/19/2012</b>
NAME OF PROVIDER OR SUPPLIER			STREET ADD	RESS, CITY, STA	ATE, ZIP CODE	•
INDIANA UNIVERSITY HEALTH ARNETT HOSPITAL			5165 MCCARTY LN LAFAYETTE, IN 47905			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPF DEFICIENCY)	ULD BE COMPLETE
S 000	00 INITIAL COMMENTS			S 000		
	This visit was for investigation of a state licensure hospital complaint.					
	Complaint Number: IN00108307  Substantiated: No deficiencies cited.					
	Date: 6/19/12					
	Facility Number: 011506					
	Surveyor: Jacqueline Brown, R.N., Public Health Nurse Surveyor  Indiana University Health Arnett Hospital is in compliance with 410 IAC 15-1.5-6, Nursing service, and 410 IAC 15-1.5-7, Pharmaceutical services, Indiana Hospital Licensure Rules.					
	QA: claughlin 06/28/	/12				
	Department of Health					

matana otate Department of Ficality

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE